
GFS-50-MSL

SOLAR SHELTER LIGHT



SHELTERS CANOPIES PUBLIC AMENITIES BUS STOP SHELTERS BBQ AREAS REST ROOMS







THE SEPERATE PANEL DESIGN ALLOWS SOLAR POWERED ILLUMINATION UNDER COVERED AREAS. WHERE YOU NEED IT MOST.





LED

High quality LEDs from CREE USA producing 1,402lm all nightmode which increases to 2,805lm output for 30 seconds when motion triggered. Linear or round lens options available

SYSTEM PERFORMANCE

5 nights battery backup with proven reliability in tropical, desert, beach front and flood prone locations



SOLAR PANEL

Tempered glass 50W N-mono-crystalline military grade solar panel with class leading cell efficiency (+24%). Edgeless design reduces dust and bird fouling build up. 25 Year warranty

	ī
QE	

CERTIFICATIONS

ISO 9001:2015 / AS/NZS 1158.3.1 Lighting for roads and public spaces - Pedestrian area (Category P) lighting P3 & P4 / AS60598 - Luminaires / IEC61347 - Lamp control gear



BATTERY & CHARGING

LiFePO4 with GFS Advanced Cell Technology. Charging system measures temperature and optimises charge to increases battery life. 10 year battery warranty^{*}

DIMMING OPTIONS

Adjustable dimming modes with programmable ON / OFF settings (1-14 hours) light dimming settings from 5%-100% with additional program to schedule ON time before dawn (1-4 hours)



OPERATION MODES

 Dimming Mode (DIM) (2-15W)
PIR Mode (PIR) (aka 'surprise light') (0, 15W)
Dual Mode (PIR DIM) PIR sensing and Dimming (1-7.5W + 7.5W) *Default setting



VANDAL RESISTANCE

Fully sealed IP-65 waterproof construction with 316 Grade stainless steel exterior shell and solar panel backing plate. Flame proof tempered glass LED lens and tamper proof stainless steel fixings





HEAD OFFICE

51 Langford St Pooraka. South Australia 5095

+61 8 7200 3909

info@greenfrogsystems.com.au greenfrogsystems.com.au

USA / AMERICAS

1919 McKinney Avenue, Suite 100, Dallas, Texas. 75201

+1 (214) 838-7010

info@greenfrogsystems.com greenfrogsystems.com